



WPC – High Performance Drill, DIN 6537





DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 603 ...	Article no. 11 604 ...	Article no. 11 623 ...	Article no. 11 624 ...
mm	mm	mm	mm	mm	mm				
1,00	4	45	6,0	4,5	32,0	010		010	
1,10	4	45	6,6	5,0	31,5	011		011	
1,20	4	45	7,2	5,4	31,0	012		012	
1,30	4	45	7,8	5,9	31,5	013		013	
1,40	4	45	8,4	6,3	30,0	014		014	
1,50	4	50	9,0	6,8	35,0	015		015	
1,60	4	50	9,6	7,2	34,5	016		016	
1,70	4	50	10,2	7,7	34,0	017		017	
1,80	4	50	10,8	8,1	33,5	018		018	
1,90	4	50	11,4	8,6	33,0	019		019	
2,00	4	50	12,0	9,0	33,0	020		020	
2,10	4	55	12,6	9,5	37,5	021		021	
2,20	4	55	13,2	9,9	37,0	022		022	
2,30	4	55	13,8	10,4	36,5	023		023	
2,40	4	55	14,4	10,8	36,0	024		024	
2,50	4	55	15,0	11,3	35,5	025		025	
2,60	4	55	15,6	11,7	35,5	026		026	
2,70	4	55	16,2	12,2	35,0	027		027	
2,80	4	55	16,8	12,6	34,0	028		028	
2,90	4	55	17,4	13,1	34,0	029		029	
3,00	6	62	20,0	14,0	36,0	030	030	030	030
3,10	6	62	20,0	14,0	36,0	031	031	031	031
3,20	6	62	20,0	14,0	36,0	032	032	032	032
3,25	6	62	20,0	14,0	36,0	890	890	03250	
3,30	6	62	20,0	14,0	36,0	033	033	033	033
3,40	6	62	20,0	14,0	36,0	034	034	034	034
3,50	6	62	20,0	14,0	36,0	035	035	035	035
3,60	6	62	20,0	14,0	36,0	036	036	036	036
3,70	6	62	20,0	14,0	36,0	037	037	037	037
3,80	6	66	24,0	17,0	36,0	038	038	038	038
3,90	6	66	24,0	17,0	36,0	039	039	039	039
4,00	6	66	24,0	17,0	36,0	040	040	040	040
4,10	6	66	24,0	17,0	36,0	041	041	041	041
4,20	6	66	24,0	17,0	36,0	042	042	042	042
4,30	6	66	24,0	17,0	36,0	043	043	043	043
4,40	6	66	24,0	17,0	36,0	044	044	044	044
4,50	6	66	24,0	17,0	36,0	045	045	045	045
4,60	6	66	24,0	17,0	36,0	046	046	046	046
4,65	6	66	24,0	17,0	36,0	900	900	900	900
4,70	6	66	24,0	17,0	36,0	047	047	047	047
4,80	6	66	28,0	20,0	36,0	048	048	048	048

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●

→ v_c Page 116+120

WPC – High Performance Drill, DIN 6537






DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 603 ...	Article no. 11 604 ...	Article no. 11 623 ...	Article no. 11 624 ...
mm	mm	mm	mm	mm	mm				
4,90	6	66	28,0	20,0	36,0	049	049	049	049
5,00	6	66	28,0	20,0	36,0	050	050	050	050
5,10	6	66	28,0	20,0	36,0	051	051	051	051
5,20	6	66	28,0	20,0	36,0	052	052	052	052
5,30	6	66	28,0	20,0	36,0	053	053	053	053
5,40	6	66	28,0	20,0	36,0	054	054	054	054
5,50	6	66	28,0	20,0	36,0	055	055	055	055
5,55	6	66	28,0	20,0	36,0	902	902	902	902
5,60	6	66	28,0	20,0	36,0	056	056	056	056
5,70	6	66	28,0	20,0	36,0	057	057	057	057
5,80	6	66	28,0	20,0	36,0	058	058	058	058
5,90	6	66	28,0	20,0	36,0	059	059	059	059
6,00	6	66	28,0	20,0	36,0	060	060	060	060
6,10	8	79	34,0	24,0	36,0	061	061	061	061
6,20	8	79	34,0	24,0	36,0	062	062	062	062
6,30	8	79	34,0	24,0	36,0	063	063	063	063
6,40	8	79	34,0	24,0	36,0	064	064	064	064
6,50	8	79	34,0	24,0	36,0	065	065	065	065
6,60	8	79	34,0	24,0	36,0	066	066	066	066
6,70	8	79	34,0	24,0	36,0	067	067	067	067
6,80	8	79	34,0	24,0	36,0	068	068	068	068
6,90	8	79	34,0	24,0	36,0	069	069	069	069
7,00	8	79	34,0	24,0	36,0	070	070	070	070
7,10	8	79	41,0	29,0	36,0	071	071	071	071
7,20	8	79	41,0	29,0	36,0	072	072	072	072
7,30	8	79	41,0	29,0	36,0	073	073	073	073
7,40	8	79	41,0	29,0	36,0	074	074	074	074
7,45	8	79	41,0	29,0	36,0	924	924	07450	
7,50	8	79	41,0	29,0	36,0	075	075	075	075
7,55	8	79	41,0	29,0	36,0	975	975	975	975
7,60	8	79	41,0	29,0	36,0	076	076	076	076
7,70	8	79	41,0	29,0	36,0	077	077	077	077
7,80	8	79	41,0	29,0	36,0	078	078	078	078
7,90	8	79	41,0	29,0	36,0	079	079	079	079
8,00	8	79	41,0	29,0	36,0	080	080	080	080
8,10	10	89	47,0	35,0	40,0	081	081	081	081
8,20	10	89	47,0	35,0	40,0	082	082	082	082
8,30	10	89	47,0	35,0	40,0	083	083	083	083
8,40	10	89	47,0	35,0	40,0	084	084	084	084
8,50	10	89	47,0	35,0	40,0	085	085	085	085
8,60	10	89	47,0	35,0	40,0	086	086	086	086

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●

→ v_c Page 116+120

WPC – High Performance Drill, DIN 6537





DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 603 ...	Article no. 11 604 ...	Article no. 11 623 ...	Article no. 11 624 ...
mm	mm	mm	mm	mm	mm				
8,70	10	89	47,0	35,0	40,0	087	087	087	087
8,80	10	89	47,0	35,0	40,0	088	088	088	088
8,90	10	89	47,0	35,0	40,0	089	089	089	089
9,00	10	89	47,0	35,0	40,0	090	090	090	090
9,10	10	89	47,0	35,0	40,0	091	091	091	091
9,20	10	89	47,0	35,0	40,0	092	092	092	092
9,25	10	89	47,0	35,0	40,0	925	925	925	925
9,30	10	89	47,0	35,0	40,0	093	093	093	093
9,35	10	89	47,0	35,0	40,0	930	930	09350	
9,40	10	89	47,0	35,0	40,0	094	094	094	094
9,50	10	89	47,0	35,0	40,0	095	095	095	095
9,60	10	89	47,0	35,0	40,0	096	096	096	096
9,70	10	89	47,0	35,0	40,0	097	097	097	097
9,80	10	89	47,0	35,0	40,0	098	098	098	098
9,90	10	89	47,0	35,0	40,0	099	099	099	099
10,00	10	89	47,0	35,0	40,0	100	100	100	100
10,10	12	102	55,0	40,0	45,0	101	101	101	101
10,20	12	102	55,0	40,0	45,0	102	102	102	102
10,30	12	102	55,0	40,0	45,0	103	103	103	103
10,40	12	102	55,0	40,0	45,0	104	104	104	104
10,50	12	102	55,0	40,0	45,0	105	105	105	105
10,60	12	102	55,0	40,0	45,0	106	106	106	106
10,70	12	102	55,0	40,0	45,0	107	107	107	107
10,75	12	102	55,0	40,0	45,0	904	904	10750	
10,80	12	102	55,0	40,0	45,0	108	108	108	108
10,90	12	102	55,0	40,0	45,0	109	109	109	109
11,00	12	102	55,0	40,0	45,0	110	110	110	110
11,10	12	102	55,0	40,0	45,0	111	111	111	111
11,20	12	102	55,0	40,0	45,0	112	112	112	112
11,25	12	102	55,0	40,0	45,0	912	912	11250	
11,30	12	102	55,0	40,0	45,0	113	113	113	113
11,40	12	102	55,0	40,0	45,0	114	114	114	114
11,50	12	102	55,0	40,0	45,0	115	115	115	115
11,60	12	102	55,0	40,0	45,0	116	116	116	116
11,70	12	102	55,0	40,0	45,0	117	117	117	117
11,80	12	102	55,0	40,0	45,0	118	118	118	118
11,90	12	102	55,0	40,0	45,0	119	119	119	119
12,00	12	102	55,0	40,0	45,0	120	120	120	120
12,25	14	107	60,0	43,0	45,0	122	122	12250	
12,50	14	107	60,0	43,0	45,0	125	125	125	125
12,70	14	107	60,0	43,0	45,0	127	127	127	127

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●

→ v. Page 116+120

WPC – High Performance Drill, DIN 6537



DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 603 ...	Article no. 11 604 ...	Article no. 11 623 ...	Article no. 11 624 ...
mm	mm	mm	mm	mm	mm				
12,80	14	107	60,0	43,0	45,0	128	128		
12,90	14	107	60,0	43,0	45,0	129	129		
13,00	14	107	60,0	43,0	45,0	130	130	130	130
13,10	14	107	60,0	43,0	45,0	131	131		
13,30	14	107	60,0	43,0	45,0	133	133		
13,50	14	107	60,0	43,0	45,0	135	135	135	135
13,70	14	107	60,0	43,0	45,0	137	137	137	137
13,80	14	107	60,0	43,0	45,0	138	138		
14,00	14	107	60,0	43,0	45,0	140	140	140	140
14,20	16	115	65,0	45,0	48,0	142	142		
14,50	16	115	65,0	45,0	48,0	145	145	145	145
14,70	16	115	65,0	45,0	48,0	147	147	147	147
14,80	16	115	65,0	45,0	48,0	148	148		
15,00	16	115	65,0	45,0	48,0	150	150	150	150
15,10	16	115	65,0	45,0	48,0	151	151		
15,25	16	115	65,0	45,0	48,0	152	152		
15,30	16	115	65,0	45,0	48,0	153	153		
15,50	16	115	65,0	45,0	48,0	155	155	155	155
15,60	16	115	65,0	45,0	48,0	156	156		
15,70	16	115	65,0	45,0	48,0	157	157	157	157
15,80	16	115	65,0	45,0	48,0	158	158		
16,00	16	115	65,0	45,0	48,0	160	160	160	160
16,50	18	123	73,0	51,0	48,0	165	165	165	165
16,80	18	123	73,0	51,0	48,0	168	168		
16,90	18	123	73,0	51,0	48,0	169	169		
17,00	18	123	73,0	51,0	48,0	170	170	170	170
17,50	18	123	73,0	51,0	48,0	175	175	175	175
17,60	18	123	73,0	51,0	48,0	176	176		
17,80	18	123	73,0	51,0	48,0	178	178		
18,00	18	123	73,0	51,0	48,0	180	180	180	180
18,50	20	131	79,0	55,0	50,0	185	185	185	185
18,80	20	131	79,0	55,0	50,0	188	188		
18,90	20	131	79,0	55,0	50,0	189	189		
19,00	20	131	79,0	55,0	50,0	190	190	190	190
19,50	20	131	79,0	55,0	50,0	195	195	195	195
19,60	20	131	79,0	55,0	50,0	196	196		
19,80	20	131	79,0	55,0	50,0	198	198		
20,00	20	131	79,0	55,0	50,0	200	200	200	200

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●