





WPC – High Performance Drill, DIN 6537



DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 609 ...	Article no. 11 610 ...	Article no. 11 629 ...	Article no. 11 630 ...
mm	mm	mm	mm	mm	mm				
1,00	4	45	8,0	6,5	30,0	010		010	
1,10	4	45	8,8	7,2	29,0	011		011	
1,20	4	45	9,6	7,8	29,0	012		012	
1,30	4	45	10,4	8,5	28,5	013		013	
1,40	4	45	11,2	9,1	28,0	014		014	
1,50	4	50	12,0	9,8	32,0	015		015	
1,60	4	50	12,8	10,4	31,0	016		016	
1,70	4	50	13,6	11,1	30,5	017		017	
1,80	4	50	14,4	11,7	30,0	018		018	
1,90	4	50	15,2	12,4	29,5	019		019	
2,00	4	50	16,0	13,0	29,0	020		020	
2,10	4	55	16,8	13,7	33,0	021		021	
2,20	4	55	17,6	14,3	32,5	022		022	
2,30	4	55	18,4	15,0	32,0	023		023	
2,40	4	55	19,2	15,6	31,5	024		024	
2,50	4	55	20,0	16,3	30,5	025		025	
2,60	4	55	20,8	16,9	30,0	026		026	
2,70	4	55	21,6	17,6	29,0	027		027	
2,80	4	55	22,4	18,2	29,0	028		028	
2,90	4	55	23,2	18,9	28,5	029		029	
3,00	6	66	28,0	23,0	36,0	030	030	030	030
3,10	6	66	28,0	23,0	36,0	031	031	031	031
3,20	6	66	28,0	23,0	36,0	032	032	032	032
3,25	6	66	28,0	23,0	36,0	890	890	03250	
3,30	6	66	28,0	23,0	36,0	033	033	033	033
3,40	6	66	28,0	23,0	36,0	034	034	034	034
3,50	6	66	28,0	23,0	36,0	035	035	035	035
3,60	6	66	28,0	23,0	36,0	036	036	036	036
3,70	6	66	28,0	23,0	36,0	037	037	037	037
3,80	6	74	36,0	29,0	36,0	038	038	038	038
3,90	6	74	36,0	29,0	36,0	039	039	039	039
4,00	6	74	36,0	29,0	36,0	040	040	040	040
4,10	6	74	36,0	29,0	36,0	041	041	041	041
4,20	6	74	36,0	29,0	36,0	042	042	042	042
4,30	6	74	36,0	29,0	36,0	043	043	043	043
4,40	6	74	36,0	29,0	36,0	044	044	044	044
4,50	6	74	36,0	29,0	36,0	045	045	045	045
4,60	6	74	36,0	29,0	36,0	046	046	046	046
4,65	6	74	36,0	29,0	36,0	900	900	900	900
4,70	6	74	36,0	29,0	36,0	047	047	047	047
4,80	6	82	44,0	35,0	36,0	048	048	048	048
4,90	6	82	44,0	35,0	36,0	049	049	049	049
5,00	6	82	44,0	35,0	36,0	050	050	050	050
5,10	6	82	44,0	35,0	36,0	051	051	051	051

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●



WPC – High Performance Drill, DIN 6537



DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 609 ...	Article no. 11 610 ...	Article no. 11 629 ...	Article no. 11 630 ...
mm	mm	mm	mm	mm	mm				
5,20	6	82	44,0	35,0	36,0	052	052	052	052
5,30	6	82	44,0	35,0	36,0	053	053	053	053
5,40	6	82	44,0	35,0	36,0	054	054	054	054
5,50	6	82	44,0	35,0	36,0	055	055	055	055
5,55	6	82	44,0	35,0	36,0	902	902	902	902
5,60	6	82	44,0	35,0	36,0	056	056	056	056
5,70	6	82	44,0	35,0	36,0	057	057	057	057
5,80	6	82	44,0	35,0	36,0	058	058	058	058
5,90	6	82	44,0	35,0	36,0	059	059	059	059
6,00	6	82	44,0	35,0	36,0	060	060	060	060
6,10	8	91	53,0	43,0	36,0	061	061	061	061
6,20	8	91	53,0	43,0	36,0	062	062	062	062
6,30	8	91	53,0	43,0	36,0	063	063	063	063
6,40	8	91	53,0	43,0	36,0	064	064	064	064
6,50	8	91	53,0	43,0	36,0	065	065	065	065
6,60	8	91	53,0	43,0	36,0	066	066	066	066
6,70	8	91	53,0	43,0	36,0	067	067	067	067
6,80	8	91	53,0	43,0	36,0	068	068	068	068
6,90	8	91	53,0	43,0	36,0	069	069	069	069
7,00	8	91	53,0	43,0	36,0	070	070	070	070
7,10	8	91	53,0	43,0	36,0	071	071	071	071
7,20	8	91	53,0	43,0	36,0	072	072	072	072
7,30	8	91	53,0	43,0	36,0	073	073	073	073
7,40	8	91	53,0	43,0	36,0	074	074	074	074
7,45	8	91	53,0	43,0	36,0	924	924	07450	074
7,50	8	91	53,0	43,0	36,0	075	075	075	075
7,55	8	91	53,0	43,0	36,0	975	975	975	975
7,60	8	91	53,0	43,0	36,0	076	076	076	076
7,70	8	91	53,0	43,0	36,0	077	077	077	077
7,80	8	91	53,0	43,0	36,0	078	078	078	078
7,90	8	91	53,0	43,0	36,0	079	079	079	079
8,00	8	91	53,0	43,0	36,0	080	080	080	080
8,10	10	103	61,0	49,0	40,0	081	081	081	081
8,20	10	103	61,0	49,0	40,0	082	082	082	082
8,30	10	103	61,0	49,0	40,0	083	083	083	083
8,40	10	103	61,0	49,0	40,0	084	084	084	084
8,50	10	103	61,0	49,0	40,0	085	085	085	085
8,60	10	103	61,0	49,0	40,0	086	086	086	086
8,70	10	103	61,0	49,0	40,0	087	087	087	087
8,80	10	103	61,0	49,0	40,0	088	088	088	088
8,90	10	103	61,0	49,0	40,0	089	089	089	089
9,00	10	103	61,0	49,0	40,0	090	090	090	090
9,10	10	103	61,0	49,0	40,0	091	091	091	091
9,20	10	103	61,0	49,0	40,0	092	092	092	092

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●




WPC – High Performance Drill, DIN 6537



DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 609 ...	Article no. 11 610 ...	Article no. 11 629 ...	Article no. 11 630 ...
mm	mm	mm	mm	mm	mm				
9,25	10	103	61,0	49,0	40,0	925	925	925	925
9,30	10	103	61,0	49,0	40,0	093	093	093	093
9,35	10	103	61,0	49,0	40,0	930	930	09350	
9,40	10	103	61,0	49,0	40,0	094	094	094	094
9,50	10	103	61,0	49,0	40,0	095	095	095	095
9,60	10	103	61,0	49,0	40,0	096	096	096	096
9,70	10	103	61,0	49,0	40,0	097	097	097	097
9,80	10	103	61,0	49,0	40,0	098	098	098	098
9,90	10	103	61,0	49,0	40,0	099	099	099	099
10,00	10	103	61,0	49,0	40,0	100	100	100	100
10,10	12	118	71,0	56,0	45,0	101	101	101	101
10,20	12	118	71,0	56,0	45,0	102	102	102	102
10,30	12	118	71,0	56,0	45,0	103	103	103	103
10,40	12	118	71,0	56,0	45,0	104	104	104	104
10,50	12	118	71,0	56,0	45,0	105	105	105	105
10,60	12	118	71,0	56,0	45,0	106	106	106	106
10,70	12	118	71,0	56,0	45,0	107	107	107	107
10,75	12	118	71,0	56,0	45,0	904	904	10750	
10,80	12	118	71,0	56,0	45,0	108	108	108	108
10,90	12	118	71,0	56,0	45,0	109	109	109	109
11,00	12	118	71,0	56,0	45,0	110	110	110	110
11,10	12	118	71,0	56,0	45,0	111	111	111	111
11,20	12	118	71,0	56,0	45,0	112	112	112	112
11,25	12	118	71,0	56,0	45,0	912	912	11250	
11,30	12	118	71,0	56,0	45,0	113	113	113	113
11,40	12	118	71,0	56,0	45,0	114	114	114	114
11,50	12	118	71,0	56,0	45,0	115	115	115	115
11,60	12	118	71,0	56,0	45,0	116	116	116	116
11,70	12	118	71,0	56,0	45,0	117	117	117	117
11,80	12	118	71,0	56,0	45,0	118	118	118	118
11,90	12	118	71,0	56,0	45,0	119	119	119	119
12,00	12	118	71,0	56,0	45,0	120	120	120	120
12,25	14	124	77,0	60,0	45,0	122	122	12250	
12,50	14	124	77,0	60,0	45,0	125	125	125	125
12,70	14	124	77,0	60,0	45,0	127	127	127	127
12,80	14	124	77,0	60,0	45,0	128	128		
12,90	14	124	77,0	60,0	45,0	129	129		
13,00	14	124	77,0	60,0	45,0	130	130	130	130
13,10	14	124	77,0	60,0	45,0	131	131		
13,30	14	124	77,0	60,0	45,0	133	133		
13,50	14	124	77,0	60,0	45,0	135	135	135	135
13,70	14	124	77,0	60,0	45,0	137	137	137	137
13,80	14	124	77,0	60,0	45,0	138	138		
14,00	14	124	77,0	60,0	45,0	140	140	140	140

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●

WPC – High Performance Drill, DIN 6537



DC _{m7}	DCONMS _{h6}	OAL	LCF	LU	LS	Article no. 11 609 ...	Article no. 11 610 ...	Article no. 11 629 ...	Article no. 11 630 ...
mm	mm	mm	mm	mm	mm				
14,20	16	133	83,0	63,0	48,0	142	142		
14,50	16	133	83,0	63,0	48,0	145	145		145
14,70	16	133	83,0	63,0	48,0	147	147	145	147
14,80	16	133	83,0	63,0	48,0	148	148		
15,00	16	133	83,0	63,0	48,0	150	150	150	150
15,10	16	133	83,0	63,0	48,0	151	151		
15,25	16	133	83,0	63,0	48,0	152	152		
15,30	16	133	83,0	63,0	48,0	153	153		
15,50	16	133	83,0	63,0	48,0	155	155	155	155
15,60	16	133	83,0	63,0	48,0	156	156		
15,70	16	133	83,0	63,0	48,0	157	157	157	157
15,80	16	133	83,0	63,0	48,0	158	158		
16,00	16	133	83,0	63,0	48,0	160	160	160	160
16,50	18	143	93,0	71,0	48,0	165	165	165	165
16,80	18	143	93,0	71,0	48,0	168	168		
16,90	18	143	93,0	71,0	48,0	169	169		
17,00	18	143	93,0	71,0	48,0	170	170	170	170
17,50	18	143	93,0	71,0	48,0	175	175	175	175
17,60	18	143	93,0	71,0	48,0	176	176		
17,80	18	143	93,0	71,0	48,0	178	178		
18,00	18	143	93,0	71,0	48,0	180	180	180	180
18,50	20	153	101,0	77,0	50,0	185	185	185	185
18,80	20	153	101,0	77,0	50,0	188	188		
18,90	20	153	101,0	77,0	50,0	189	189		
19,00	20	153	101,0	77,0	50,0	190	190	190	190
19,50	20	153	101,0	77,0	50,0	195	195	195	195
19,60	20	153	101,0	77,0	50,0	196	196		
19,80	20	153	101,0	77,0	50,0	198	198		
20,00	20	153	101,0	77,0	50,0	200	200	200	200

Steel	●	●	○	○
Stainless steel	○	○	●	●
Cast iron	●	●	○	○
Non ferrous metals	○	○	●	●
Heat resistant alloys			●	●

→ v_c Page 117+121