



Series 10

27x36 Eh

Drawer cabinets

Width: 564 mm - Depth: 725 mm




Drawer cabinets
see page 17



Mobile drawer cabinets
see page 26



Partitioning material
see page 30



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly.

Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	725	283	200	10-20280
564	725	383	300	10-20380
564	725	533	450	10-20530
564	725	650	550	10-20650
564	725	700	600	10-20700
564	725	800	700	10-20800
564	725	825	725	10-20820
564	725	850	750	10-20850
564	725	1000	900	10-21000

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-23050
75 S	61	52	80	10-23075
75 T	54	52	100	10-23076
100 S	86	77	100	10-23100
100 T	79	77	100	10-23101
125 S	111	77	100	10-23125
125 T	104	77	100	10-23126
150 S	136	127	100	10-23150
150 T	129	127	100	10-23151
200 S	186	177	100	10-23200
200 T	179	177	100	10-23201
250 S	236	177	100	10-23250
250 T	229	177	100	10-23251
300 S	286	277	100	10-23300
300 T	279	277	100	10-23301


S = normal extension: 85 - 90% extension

T = full extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
564	725	20	10-20025	-
559	720	2	-	10-20022

Colour: Black




Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	564	693	50	05-42705
1 Base plinth	564	693	100	05-42710
1 Base plinth	564	693	130	05-42713

Colour: Black



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces




Partitioning material see page 30



Load capacity is intended for evenly distributed loads

Standard colours:





Series 10

27x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
564	725	850	750	10-20860
564	725	1000	900	10-21010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
564	1104	608	10-20100

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
564	750	30	10-20014	10-20016

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of high-quality steel. Supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
505	620	35	70	10-20028

Colour: Light grey RAL 7035




Retractable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg	Part. No.
434	612	100	85	70	10-23980

Colour: Light grey RAL 7035



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
546	615	55	50	10-20034

Colour: Light grey RAL 7035



Doors for cabinets

Made of high-quality steel

To be fitted to the cabinet, with safety cylinder lock and 2 keys (same number as in the cabinet).

Front height mm	Width mm	Right hand opening Part. No.	Left hand opening Part. No.
450	508	10-22451	10-22455
600	508	10-22601	10-22605

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:

Height: 283 mm



01 11
50 S 50 S
150 S 150 T

Height:	Part. No.
283 mm	10-20280-01
	10-20280-11

2 Drawers



02 12
100 S 100 T
100 S 100 T

Height:	Part. No.
283 mm	10-20280-02
	10-20280-12

2 Drawers



03 13
50 S 50 S
50 S 50 S
100 S 100 T

Height:	Part. No.
283 mm	10-20280-03
	10-20280-13

3 Drawers

Height: 383 mm



01 11
100 S 100 T
200 S 200 T

Height:	Part. No.
383 mm	10-20380-01
	10-20380-11

2 Drawers



02 12
150 S 150 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-02
	10-20380-12

2 Drawers



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-03
	10-20380-13

3 Drawers



04 14
75 S 75 T
75 S 75 T
150 S 150 T

Height:	Part. No.
383 mm	10-20380-04
	10-20380-14

3 Drawers



08 18
100 S 100 T
100 S 100 T
100 S 100 T

Height:	Part. No.
383 mm	10-20380-08
	10-20380-18

3 Drawers



05 15
50 S 50 S
50 S 50 S
50 S 50 S
150 S 150 T

Height:	Part. No.
383 mm	10-20380-05
	10-20380-15

4 Drawers



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

Height:	Part. No.
383 mm	10-20380-06
	10-20380-16

4 Drawers







Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%



Partitioning material
see page 30

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh

Height: 533 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

Height:	Part. No.
533 mm	10-20530-01
	10-20530-11
4 Drawers	



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
533 mm	10-20530-02
	10-20530-12
5 Drawers	



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

Height:	Part. No.
533 mm	10-20530-03
	10-20530-13
6 Drawers	

Height: 650 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
650 mm	10-20650-01
	10-20650-11
3 Drawers	




07 17
 100 S 100 T

 RS S RS S

Height:	Part. No.
650 mm	10-20650-07
	10-20650-17
1 Drawer 1 Retractable shelf 1 Door 450mmh right hand opening	

Standard colours:



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 700 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

Height:	Part. No.
700 mm	10-20700-01
	10-20700-11
4 Drawers	



08 18
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-08
	10-20700-18
4 Drawers	



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-02
	10-20700-12
5 Drawers	



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-03
	10-20700-13
6 Drawers	



04 14
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
200 S 200 T

Height:	Part. No.
700 mm	10-20700-04
	10-20700-14
7 Drawers	



05 15
75 S 75 T
75 S 75 T

RS S RS S

Height:	Part. No.
700 mm	10-20700-05
	10-20700-15
2 Drawers	
1 Retractable shelf	
1 Door 450mmh right hand opening	



06





AS

RS S

Height:	Part. No.
700 mm	10-20700-06
1 Adjustable shelf	
1 Retractable shelf	
1 Door 600mmh right hand opening	



Partitioning material
see page 30

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh

1
Height: 800 mm



10 21
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
800 mm	10-20800-10
	10-20800-21
4 Drawers	



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
800 mm	10-20800-01
	10-20800-11
5 Drawers	



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-20800-02
	10-20800-12
6 Drawers	



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-20800-03
	10-20800-13
6 Drawers	



04 14
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
800 mm	10-20800-04
	10-20800-14
7 Drawers	



07 17
100 S 100 T

AS AS

RS S RS S

Height:	Part. No.
800 mm	10-20800-07
	10-20800-17
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



06 16
100 S 100 T
150 S 150 T

RS S RS S

Height:	Part. No.
800 mm	10-20800-06
	10-20800-16
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Drawers:

S = load capacity: 60/100 kg - extension 85-90%
T = load capacity: 100 kg - extension 100%

Standard examples:

Height: 825 mm



08 18
 100 S 100 T
 125 S 125 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
825 mm	10-20820-08
	10-20820-18
4 Drawers	



01 11
 50 S 50 S
 100 S 100 T
 125 S 125 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
825 mm	10-20820-01
	10-20820-11
5 Drawers	



02 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
825 mm	10-20820-02
	10-20820-12
6 Drawers	



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
825 mm	10-20820-03
	10-20820-13
7 Drawers	



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T

Height:	Part. No.
825 mm	10-20820-04
	10-20820-14
8 Drawers	



06 16
 125 S 125 T

 AS AS

 RS S RS S

Height:	Part. No.
825 mm	10-20820-06
	10-20820-16
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



05 15
 125 S 125 T
 150 S 150 T

 RS S RS S

Height:	Part. No.
825 mm	10-20820-05
	10-20820-15
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	







07 17
 75 S 75 T
 100 S 100 T
 100 S 100 T

 RS S RS S

Height:	Part. No.
825 mm	10-20820-07
	10-20820-17
3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	



Partitioning material
 see page 30

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh

Height: 850 mm



08 18
 100 S 100 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
850 mm	10-20850-08
	10-20850-18
4 Drawers	



01 11
 50 S 50 S
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height:	Part. No.
850 mm	10-20850-01
	10-20850-11
5 Drawers	



02 12
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 250 S 250 T

Height:	Part. No.
850 mm	10-20850-02
	10-20850-12
6 Drawers	



03 13
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
850 mm	10-20850-03
	10-20850-13
7 Drawers	



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T

Height:	Part. No.
850 mm	10-20850-04
	10-20850-14
8 Drawers	



06 16
 150 S 150 T

 AS AS

 RS S RS S

Height:	Part. No.
850 mm	10-20850-06
	10-20850-16
1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening	



07 17
 100 S 100 T
 200 S 200 T

RS S RS S

Height:	Part. No.
850 mm	10-20850-07
	10-20850-17
2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	




05 15
 50 S 50 S
 100 S 100 T
 150 S 150 T

RS S RS S

Height:	Part. No.
850 mm	10-20850-05
	10-20850-15
3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening	

Standard colours:



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 1000 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1000 mm	10-21000-01
	10-21000-11
6 Drawers	



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1000 mm	10-21000-02
	10-21000-12
7 Drawers	



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1000 mm	10-21000-03
	10-21000-13
8 Drawers	



04 14
50 S 50 S
75 S 75 T
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
300 S 300 T

Height:	Part. No.
1000 mm	10-21000-04
	10-21000-14
8 Drawers	



05 15
50 S 50 S
100 S 100 T
150 S 150 T

AS AS

RS S RS S

Height:	Part. No.
1000 mm	10-21000-05
	10-21000-15
3 Drawers	
1 Adjustable shelf	
1 Retractable shelf	
1 Door 600mmh right hand opening	







06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

RS S RS S

Height:	Part. No.
1000 mm	10-21000-06
	10-21000-16
5 Drawers	
1 Retractable shelf	
1 Door 450mmh right hand opening	



Partitioning material
see page 30

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised

edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 580 mm, Depth 820 mm.

with nylon castors Ø 100 mm Part. No.	with polyurethane castors Ø 100 mm Part. No.	Total height mm	Usable height for drawers mm
10-27280	10-27285	760	200
10-27380	10-27385	760	300

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 572 mm, Depth 780 mm.

with nylon castors Ø 100 mm Part. No.	with polyurethane castors Ø 100 mm Part. No.	Total height mm	with polyurethane castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-29530	10-29540	705	10-29550	762	450
10-29650	10-29660	822	10-29670	879	550
10-29700	10-29710	872	10-29720	929	600
10-29800	10-29810	972	10-29820	1029	700
10-29850	10-29860	1022	10-29870	1079	750
10-29900	10-29910	1172	10-29920	1229	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-23052
75 S	61	52	70	10-23077
75 T	54	52	70	10-23078
100 S	86	77	70	10-23102
100 T	79	77	70	10-23103
125 S	111	77	70	10-23127
125 T	104	77	70	10-23128
150 S	136	127	70	10-23152
150 T	129	127	70	10-23153
200 S	186	177	70	10-23202
200 T	179	177	70	10-23203
250 S	236	177	70	10-23252
250 T	229	177	70	10-23253
300 S	286	277	70	10-23302
300 T	279	277	70	10-23303


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)


For drawers: 27 Eh

Part. No. 06-00275

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 760 mm



01 11
50 S 50 S
150 S 150 T

Height:	Part. No.
760 mm	10-27280-01
	10-27280-11

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T

Height:	Part. No.
760 mm	10-27280-02
	10-27280-12

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
100 S 100 T

Height:	Part. No.
760 mm	10-27280-03
	10-27280-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
760 mm	10-27380-03
	10-27380-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 18
100 S 100 T
100 S 100 T
100 S 100 T

Height:	Part. No.
760 mm	10-27380-08
	10-27380-18

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

Height:	Part. No.
760 mm	10-27380-06
	10-27380-16

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

Height:	Part. No.
760 mm	10-28380-03
	10-28380-13

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Height:	Part. No.
760 mm	10-27903

4-sided safety upstand with rubber mat
1 Adjustable shelf



Partitioning material
see page 30



Drawers:
S = load capacity:70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm



Series 10

27x36 Eh

Height: 705 mm



01 11
50 S 50 S
75 S 75 T
125 S 125 T
200 S 200 T

Height:	Part. No.
705 mm	10-29530-01
	10-29530-11

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

Height:	Part. No.
705 mm	10-29530-02
	10-29530-12

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T

Height:	Part. No.
705 mm	10-29530-03
	10-29530-13

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 822 mm



01 11
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
822 mm	10-29650-01
	10-29650-11

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
150 S 150 T
150 S 150 T

Height:	Part. No.
822 mm	10-29650-02
	10-29650-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 872 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

Height:	Part. No.
872 mm	10-29700-01
	10-29700-11

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
872 mm	10-29700-02
	10-29700-12

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

Height:	Part. No.
872 mm	10-29700-03
	10-29700-13

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%

Standard examples:

Height: 972 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

Height:	Part. No.
972 mm	10-29800-01
	10-29800-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	10-29800-02
	10-29800-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
972 mm	10-29800-03
	10-29800-13

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1022 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1022 mm	10-29850-01
	10-29850-11

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

Height:	Part. No.
1022 mm	10-29850-02
	10-29850-12

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

Height:	Part. No.
1022 mm	10-29850-03
	10-29850-13

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1172 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

Height:	Part. No.
1172 mm	10-29900-01
	10-29900-11

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	10-29900-02
	10-29900-12

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

Height:	Part. No.
1172 mm	10-29900-03
	10-29900-13

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat







Partitioning material
see page 30



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm

Standard colours:

RAL 5012	RAL 6011	RAL 7035	RAL 9010
			

[Logg inn](#)

Her er du nå: [Øberg Verktøy AS - Best på måleutstyr](#) > [Verkstedinnredning](#) > [Verktøyskap](#) > [Verktøyskap 27x36 eh](#) >

Copyright © 2020 Øberg Verktøy AS D4 - All rights reserved
Forretningssystem og nettbutikkløsning levert av Multicase™ Norge AS

[Logg inn](#)

Her er du nå: [Øberg Verktøy AS - Best på måleutstyr](#) > [Verkstedinnredning](#) > [Verktøyskap](#) > [Verktøyskap 27x36 eh](#) >

Copyright © 2020 Øberg Verktøy AS D4 - All rights reserved
Forretningssystem og nettbutikkløsning levert av Multicase™ Norge AS