




Series 10

36x36 Eh

Drawer cabinets

Width: 717 mm - Depth: 725 mm




Drawer cabinets
see page 33



Mobile drawer cabinets
see page 40



Partitioning material
see page 43




Standard colours:
 RAL 5012 RAL 6011 RAL 7035 RAL 9010

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. 06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	725	700	600	10-30700
717	725	800	700	10-30800
717	725	850	750	10-30850
717	725	1000	900	10-31000
717	725	1150	1050	10-31150
717	725	1325	1225	10-31320
717	725	1450	1350	10-31450
717	725	1625	1525	10-31620

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

Width mm	Depth mm	Height mm	Upstand with mat Part. No.	Smooth rubber mat Part. No.
717	725	20	10-30025	-
712	720	2	-	10-30022



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
1 Base plinth	717	693	50	05-43605
1 Base plinth	717	693	130	05-43613
2 Pallet base	717	659	100	05-13610
3 Cover plate	717	-	100	05-33610

Colour: Black



Partitioning material see page 43



Load capacity is intended for evenly distributed loads

Standard colours:

RAL 5012	RAL 6011	RAL 7035	RAL 9010



Series 10

36x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
717	725	850	750	10-30860
717	725	1000	900	10-31010

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

Width mm	Height mm	Usable height mm	Part. No.
717	1104	608	10-30100

Colour: Light grey RAL 7035




Hooks
see page 249



Work surfaces for cabinets

Width mm	Depth mm	Thickness mm	Plastic laminated Part. No.	Linoplex Part. No.
717	750	30	10-30014	10-30016

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
658	620	35	70	33-72038

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
612	612	75	85	100	10-33984
612	612	75	100	200	10-33985


* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Lower shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
651	618	55	50	10-30034

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:

Height: 700 mm



01 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
700 mm	10-30700-01
	10-30700-02

5 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T

Height:	Part. No.
700 mm	10-30700-03
	10-30700-04

5 Drawers



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
700 mm	10-30700-05
	10-30700-06

6 Drawers

Height: 800 mm



07 02
100 S 100 T
150 S 150 T
150 S 150 T
300 S 300 T

Height:	Part. No.
800 mm	10-30800-07
	10-30800-02

4 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
800 mm	10-30800-03
	10-30800-04

6 Drawers



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
800 mm	10-30800-05
	10-30800-06

7 Drawers

Height: 850 mm



01 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

Height:	Part. No.
850 mm	10-30850-01
	10-30850-02

7 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T

Height:	Part. No.
850 mm	10-30850-03
	10-30850-04

7 Drawers



05 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

Height:	Part. No.
850 mm	10-30850-05
	10-30850-06

8 Drawers







Partitioning material
see page 43



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

36x36 Eh

Height: 1000 mm



35 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height: 1000 mm	Part. No. 10-31000-35 10-31000-02
6 Drawers	



03 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height: 1000 mm	Part. No. 10-31000-03 10-31000-04
7 Drawers	



37 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

Height: 1000 mm	Part. No. 10-31000-37 10-31000-06
7 Drawers	



07 08
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height: 1000 mm	Part. No. 10-31000-07 10-31000-08
8 Drawers	



11 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

Height: 1000 mm	Part. No. 10-31000-11 10-31000-12
8 Drawers	



13 14
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 125 S 125 T
 125 S 125 T
 200 S 200 T

Height: 1000 mm	Part. No. 10-31000-13 10-31000-14
8 Drawers	



17 18
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

Height: 1000 mm	Part. No. 10-31000-17 10-31000-18
9 Drawers	



19 20
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T


Height: 1000 mm	Part. No. 10-31000-19 10-31000-20
9 Drawers	



27 28
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

Height: 1000 mm	Part. No. 10-31000-27 10-31000-28
9 Drawers	

Standard colours:



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1000 mm



21 22
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 50 S 50 S
 75 S 75 T
 125 S 125 T
 100 S 100 T
 150 S 150 T
 150 S 150 T



23 24
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T

Height:	Part. No.
1000 mm	10-31000-21
	10-31000-22
10 Drawers	

Height:	Part. No.
1000 mm	10-31000-23
	10-31000-24
11 Drawers	

Height: 1325 mm



13 02
 50 S 50 S
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 300 S 300 T



15 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 200 S 200 T
 300 S 300 T



05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height:	Part. No.
1325 mm	10-31320-13
	10-31320-02
9 Drawers	

Height:	Part. No.
1325 mm	10-31320-15
	10-31320-04
9 Drawers	

Height:	Part. No.
1325 mm	10-31320-05
	10-31320-06
10 Drawers	



07 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 200 S 200 T
 200 S 200 T



09 10
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



11 12
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T





Height:	Part. No.
1325 mm	10-31320-07
	10-31320-08
11 Drawers	

Height:	Part. No.
1325 mm	10-31320-09
	10-31320-10
11 Drawers	

Height:	Part. No.
1325 mm	10-31320-11
	10-31320-12
12 Drawers	



Partitioning material
see page 43

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

36x36 Eh

Height: 1450 mm



13 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

Height:	Part. No.
1450 mm	10-31450-13
	10-31450-02
9 Drawers	



03 04
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	10-31450-03
	10-31450-04
9 Drawers	



05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

Height:	Part. No.
1450 mm	10-31450-05
	10-31450-06
10 Drawers	



07 08
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T


Height:	Part. No.
1450 mm	10-31450-07
	10-31450-08
11 Drawers	



11 12
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

Height:	Part. No.
1450 mm	10-31450-11
	10-31450-12
13 Drawers	

Standard colours:



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1625 mm



01 02
 125 S 125 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height: 1625 mm	Part. No. 10-31620-01
13 Drawers	10-31620-02



05 06
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

Height: 1625 mm	Part. No. 10-31620-05
13 Drawers	10-31620-06







09 10
 100 S 100 T
 100 S 100 T
 100 S 100 T
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T
 250 T 250 T

Height: 1625 mm	Part. No. 10-31620-09
14 Drawers	10-31620-10



Partitioning material
see page 43

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

36x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 802 mm, Depth 733 mm.

Width 802 mm, Depth 733 mm.

with nylon castors Ø 100 mm Part. No.	with polyurethane castors Ø 100 mm Part. No.	Total height mm	with polyurethane castors Ø 150 mm Part. No.	Total height mm	Usable height for drawers mm
10-39700	10-39710	857	10-39720	914	600
10-39800	10-39810	957	10-39820	1014	700
10-39850	10-39860	1007	10-39870	1064	750
10-39900	10-39910	1157	10-39920	1214	900

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Single locking system on right Part. No.
50 S	36	33	60	10-33052
75 S	61	52	70	10-33077
75 T	54	52	70	10-33078
100 S	86	77	70	10-33102
100 T	79	77	70	10-33103
125 S	111	77	70	10-33127
125 T	104	77	70	10-33128
150 S	136	127	70	10-33152
150 T	129	127	70	10-33153
175 T	154	127	70	10-33178
200 S	186	177	70	10-33202
200 T	179	177	70	10-33203
250 T	229	177	70	10-33253
300 S	286	277	70	10-33302
300 T	279	277	70	10-33303
400 T	379	277	70	10-33403


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page




Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces

Standard colours:



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



01	02
50 S	50 S
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
250 T	250 T



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
914 mm	10-39720-01
	10-39720-02

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	10-39720-03
	10-39720-04

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
914 mm	10-39720-05
	10-39720-06

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1014 mm



01	02
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



05	06
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1014 mm	10-39820-01
	10-39820-02

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1014 mm	10-39820-03
	10-39820-04

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1014 mm	10-39820-05
	10-39820-06

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 43



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 10

36x36 Eh

Standard examples:

Height: 1064 mm



01	02
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
200 S	200 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
125 S	125 T
125 S	125 T
150 S	150 T



05	06
75 S	75 T
75 S	75 T
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T

Height:	Part. No.
1064 mm	10-39870-01
	10-39870-02

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	10-39870-03
	10-39870-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1064 mm	10-39870-05
	10-39870-06

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1214 mm



09	02
100 S	100 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
300 S	300 T



03	04
75 S	75 T
75 S	75 T
100 S	100 T
150 S	150 T
150 S	150 T
150 S	150 T
200 S	200 T



07	08
50 S	50 S
75 S	75 T
75 S	75 T
100 S	100 T
100 S	100 T
150 S	150 T
150 S	150 T
200 S	200 T

Height:	Part. No.
1214 mm	10-39920-09
	10-39920-02

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


Height:	Part. No.
1214 mm	10-39920-03
	10-39920-04

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height:	Part. No.
1214 mm	10-39920-07
	10-39920-08

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



Drawers:

S = load capacity: 70 kg - extension 85-90%
T = load capacity: 70 kg - extension 100%



Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm